

WEST

FOR
THE
LOVE
OF
SNOWBOARDING



25-26 / CLASSIC LINE




ARVINE



UTOPIA



CPT ACHAB




HACHE

25-26 / PARK LINE



OG STANDARD



SALAZ



NATION

SPECS & INFOS

- ! Pre-Launch – Limited sizes – Winter 2025
- ! Official Launch – Sept/Oct 2025
- ! Carry-forward for 25-26
- ! New Lightweight – durable topsheet
- ! Hache 153cm = Unisex
- ! Utopia 148 – wmn / 152 – unisex
- ! Arvine – EASY BEST SELLER
- ! CPT Ahab – new construction
 - ! Additional Kevlar bands along the edge between the inserts



WEST


FOR THE LOVE OF SNOWBOARDING

MODEL ¥90,000 (99,000taxin)

LA HACHE

PROGRAM

UNISEX FIT



CONSTRUCTION

PROFILE



DIRECTIONAL TWIN

CAMBER

HYBRID

SET BACK

-20 MM



- DURABLE LIGHT WEIGHT IMPACT PROOF IPC TOP SHEET
- 2X TIP TO TAIL CARBON-KEVLAR-BASALT STRINGERS
- 90° ANTI-DEFORMATION BI-AXIAL FIBERGLASS
- BEECH, POPLAR, SPRUCE, PAULOWNIA WOODCORE
- DOUBLE RABBET ABS SHOCK ABSORBER
- 2MM PREMIUM STEEL EDGES ANTI RUST TREATMENT
- IS7200 BASE

SPECS

size	153 cm	156 cm	159 cm	162 cm
profile	dir. twin	dir. twin	dir. twin	dir. twin
flex rating	6/10	7/10	7/10	8/10
nose width	297 mm	300 mm	303 mm	306 mm
waist width	252 mm	255 mm	259 mm	262 mm
tail width	297 mm	300 mm	303 mm	306 mm
radius	7.1 m	7.34 m	7.7 m	8.0 m
nose legh	195 mm	199 mm	203 mm	207 mm
tail legh	195 mm	199 mm	203 mm	207 mm
running leght	1130 mm	1152 mm	1174 mm	1196 mm
set back	-20 mm	-20 mm	-20 mm	-20 mm

DURABILITY



WEST



FOR THE LOVE OF SNOWBOARDING

MODEL ¥110,000 (121,000taxin)

CPT ACHAB

PROGRAM

UNISEX FIT





CONSTRUCTION

PROFILE
DIRECTIONAL TWIN

CAMBER
HYBRID

SET BACK
-20 MM



- DURABLE LIGHT WEIGHT IMPACT PROOF IPC TOP SHEET
- TIP AND TAIL KEVLAR-CARBON CROSS + STRINGERS
- 90° ANTI-DEFORMATION BI-AXIAL FIBERGLASS
- BEECH, POPLAR, SPRUCE, PAULOWNIA WOODCORE
- DOUBLE RABBET ABS SHOCK ABSORBER
- 2MM PREMIUM STEEL EDGES ANTI RUST TREATMENT
- IS7200 BASE

SPECS

size	158 cm	163 cm
profile	dir. twin	dir. twin
flex rating	7/10	7/10
nose width	295 mm	301 mm
waist width	255 mm	262 mm
tail width	295 mm	301 mm
radius	7.16 m	7.5 m
nose legth	255 mm	264 mm
tail legth	255 mm	264 mm
running legth	1070 mm	1102 mm
set back	-20 mm	-20 mm

DURABILITY







MODEL ¥100, 000 (110, 000taxin)


ARVINE

PROGRAM *WOMAN'S FIT*



CONSTRUCTION

PROFILE **DIRECTIONAL** CAMBER **HYBRID** SET BACK **-10 MM**



- DURABLE LIGHT WEIGHT IMPACT PROOF IPC TOP SHEET
- 2X TIP TO TAIL CARBON-KEVLAR-BASALT STRINGERS
- 90° ANTI-DEFORMATION BI-AXIAL FIBERGLASS
- BEECH, POPLAR, SPRUCE, PAULOWNIA WOODCORE
- DOUBLE RABBET ABS SHOCK ABSORBER
- 2MM PREMIUM STEEL EDGES ANTI RUST TREATMENT
- IS7200 BASE

SPECS

size	141 cm	145 cm	148 cm	151 cm	154 cm
profile	directional	directional	directional	directional	directional
flex rating	6/10	6/10	6/10	7/10	7/10
nose width	276 mm	279 mm	281 mm	288 mm	291 mm
waist width	236 mm	238 mm	240 mm	246 mm	249 mm
tail width	276 mm	279 mm	281 mm	288 mm	291 mm
radius	6.3 m	6.4 m	7.3 m	7.5 m	7.7 m
nose legth	200 mm	220 mm	220 mm	220 mm	220 mm
tail legth	180 mm	200 mm	200 mm	200 mm	200 mm
running legth	1030 mm	1030 mm	1060 mm	1090 mm	1120 mm
set back	-10 mm	-10 mm	-10 mm	-10 mm	-10 mm

DURABILITY



WEST



FOR THE LOVE OF SNOWBOARDING

MODEL ¥92,000 (101,200taxin)

UTOPIA

PROGRAM

UNISEX FIT





CONSTRUCTION

PROFILE
DIRECTIONAL

CAMBER
FREERIDE CAMBER

SET BACK
-15 MM



- DURABLE LIGHT WEIGHT IMPACT PROOF IPC TOP SHEET
- 2X TIP TO TAIL CARBON KEVLAR STRINGERS + NOSE «V»
- 90° ANTI-DEFORMATION BI-AXIAL FIBERGLASS
- BEECH, POPLAR, SPRUCE, PAULOWNIA WOODCORE
- DOUBLE RABBIT ABS SHOCK ABSORBER
- 2MM PREMIUM STEEL EDGES ANTI RUST TREATMENT
- IS7200 BASE


SPECS

size	148 cm	152 cm	156 cm	160 cm
profile	directional	directional	directional	directional
flex rating	6/10	6/10	7/10	7/10
nose width	308 mm	315 mm	320 mm	325 mm
waist width	258 mm	264 mm	266 mm	268 mm
tail width	287 mm	296 mm	300 mm	304 mm
radius	7,2 m	7,2 m	7,2 m	7,2 m
running leght	1070 mm	1100 mm	1130 mm	1160 mm
set back	-15mm	-15mm	-15mm	-15mm

DURABILITY



OG Standard




- DURABLE LIGHT WEIGHT IMPACT PROOF IPC TOP SHEET
- 2X TIP TO TAIL CARBON-KEVLAR-BASALT STRINGERS
- 90° ANTI-DEFORMATION BI-AXIAL FIBERGLASS
- BEECH, POPLAR, SPRUCE, PAULOWNIA WOODCORE
- DOUBLE RABBET ABS SHOCK ABSORBER
- 2MM PREMIUM STEEL EDGES ANTI RUST TREATMENT
- IS7200 BASE

SPECS


size	156 cm	159 cm	162 cm
profile	dir. twin	dir. twin	dir. twin
flex rating	7/10	7/10	8/10
nose width	300 mm	303 mm	306 mm
waist width	255 mm	259 mm	262 mm
tail width	300 mm	303 mm	306 mm
radius	7.34 m	7.7 m	8.0 m
nose legth	199 mm	203 mm	207 mm
tail legth	199 mm	203 mm	207 mm
running legth	1152 mm	1174 mm	1196 mm
set back	-20 mm	-20 mm	-20 mm

DURABILITY



NEW SIZES: 156-159-162

PROGRAM \110,000(121,000taxin) *UNISEX FIT*



CONSTRUCTION

PROFILE
DIRECTIONAL TWIN

CAMBER
FULL CAMBER

SET BACK
-20 MM





Nation / THE board for Everyone

The NaTion is not only a snowboard but also a statement:



PROGRAM ¥70,000 (77,000taxin)




- TOP SHEET
- TIP TO TAIL CARBON STRINGERS
- 90° BI-AXIAL FIBERGLASS
- TIP TO TAIL WOODCORE (POPLAR - BEECH - SPRUCE - PALOOLNIA)
- 90° BI-AXIAL FIBERGLASS
- SHOCK ABSORBER
- 2MM PREMIUM STEEL EDGES
- P-TEX IS 6000 BASE

SPECS

size	142cm	145 cm	148 cm	150 cm	153 cm	155 cm
profile	true twin	true twin	true twin	true twin	true twin	true twin
flex rating	5/10	5/10	5/10	5/10	5/10	5/10
nose width	280 mm	283 mm	286 mm	292 mm	293 mm	294 mm
waist width	237 mm	239 mm	241 mm	246 mm	247 mm	249 mm
tail width	280 mm	283 mm	286 mm	292 mm	293 mm	294 mm
radius	6.1 m	6.3 m	6.5 m	6.9 m	7.1 m	7.3 m
nose legh	225 mm	225 mm	225 mm	200 mm	205 mm	215 mm
tail legh	215 mm	215 mm	215 mm	200 mm	205 mm	215 mm
running legh	980 mm	1010 mm	1040 mm	1100 mm	1120 mm	1120 mm
set back	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm

CONSTRUCTION

PROFILE	CAMBER	SET BACK
TRUE TWIN	FULL	0 MM




DURABILITY




SALAZ



¥80, 000 (88, 000taxin)



PROGRAM



CONSTRUCTION



SPECS



size	133 cm	139 cm	145 cm
profile	True Twin	True Twin	True Twin
flex rating	4/10	4/10	4/10
nose width	276 mm	297 mm	305 mm
waist width	253 mm	254 mm	240 mm
tail width	256 mm	297 mm	345 mm
radius	7.8 m	7.6 m	7.9 m
nose length	215 mm	215 mm	215 mm
tail length	215 mm	215 mm	215 mm
running length	1100 mm	1130 mm	1160 mm
set back	0 mm	0 mm	0 mm

DURABILITY





Kids are Future

¥48, 000 (52, 800taxin)



CONSTRUCTION



SPECS

missing new 125cm


size	130 cm	135 cm	140 cm	145 cm
profile	True Twin	True Twin	True Twin	True Twin
flex rating	3/10	4/10	4/10	5/10
nose width	270 mm	276 mm	282 mm	282 mm
waist width	250 mm	244 mm	240 mm	240 mm
tail width	270 mm	276 mm	282 mm	282 mm
radius	6 m	6.5 m	6.7 m	7.2 m
nose length	235 mm	240 mm	245 mm	250 mm
tail length	235 mm	240 mm	245 mm	250 mm
running length	880 mm	910 mm	910 mm	950 mm
set back	0 mm	0 mm	0 mm	0 mm

DURABILITY




SPLIT / GRAMONT & MUVERAN

¥130,000 (143,000tax in)




GRAMONT





MUVERAN

PROGRAM



CONSTRUCTION


PROFILE	CAMBER	SET BACK
DIRECTIONAL	FREERIDE CAMBER	-25 MM



SPECS



size	147cm	153cm	159cm	164 cm
profile	directional	directional	directional	directional
flex rating	8/10	8/10	8/10	8/10
nose width	290 mm	306 mm	312 mm	314 mm
waist width	240 mm	256 mm	264 mm	264 mm
tail width	278 mm	294 mm	300 mm	304 mm
radius	7 m	7,5 m	8,2 m	9,2 m
running leght	1110	1145	1190	1235 mm
weight	tbd	tbd	tbd	approx. 3,4 kg

PROGRAM



CONSTRUCTION

PROFILE	CAMBER	SET BACK
DIRECTIONAL	FREERIDE CAMBER	-25 MM



SPECS

size	153 cm	157 cm	159cm
profile	directional	directional	directional
flex rating	8/10	8/10	8/10
nose width	308 mm	320 mm	316 mm
waist width	254 mm	268 mm	264 mm
tail width	282 mm	300 mm	296 mm
radius	7,2 m	7,4 m	7,9 mm
running leght	1110 mm	1130 mm	1170 mm
weight	tbd	approx. 2,7 kg	tbd

KARVING or KARTING or KRABING

¥120,000 (132,000taxin)


! We choose Karving

! Our best -seller in some asian countries



! Not quite yet in trend but somehow, yes it is THE TREND now



PROGRAM



CONSTRUCTION



- LIGHT WEIGHT TOP SHEET
- TIP AND TAIL 40° CARBON STRINGERS
- 90° BI-AXIAL FIBERGLASS
- TIP TO TAIL WOODCORE (POPLAR - BEECH - PALOANIA)
- 90° BI-AXIAL FIBERGLASS
- SHOCK ABSORBER
- 2MM PREMIUM STEEL EDGES
- 157200 BASE

SPECS

size	158 cm	163 cm
profile	directional	directional
flex rating	8/10	8/10
nose width	298 mm	308 mm
waist width	263 mm	256 mm
tail width	293 mm	302 mm
radius	9.5 m	9.5 m
nose length	133 mm	138 mm
tail length	103 mm	106 mm
running length	1344 mm	1368 mm
set back	- 40 mm	- 40 mm

DURABILITY

